

# rod management instruments




**new patterns available!**

**gSource**®

## 2 - realistic price

Ø = diameter




for Ø rods  
**gS 40.3555** 5.5mm

**gDistractor  
MIS**  
10"




for Ø rods  
**gS 40.3565** 5.5mm

**gCompressor  
MIS**  
11"



for Ø rods  
**gS 40.3655** 5.5mm

**gDistractor  
Parallel**  
13"




for Ø rods  
**gS 40.3665** 5.5mm

**gCompressor  
Parallel**  
13"




Ø = diameter




- for Ø rods
- gS 82.7740** 4.0mm
- gS 82.7745** 4.76mm
- gS 82.7750** 5.5mm
- gS 82.7760** 6.35mm

**Rod Holder**  
7 1/4" straight  
ratchet




- for Ø rods
- gS 82.7840** 4.0mm
- gS 82.7845** 4.5mm
- gS 82.7850** 5.0mm
- gS 82.7855** 5.5mm
- gS 82.7860** 6.35mm

**Rod Holder**  
8 1/2" curved  
ratchet




prism



- for Ø rods
- gS 82.7950** 5.5mm, prism
- gS 82.7955** 5.5mm, round
- gS 82.7960** 6.35mm, round

**Rod Holder**  
10" straight  
ratchet




- for Ø rods
- gS 82.7551** 4.5mm
- gS 82.7552** 4.75mm
- gS 82.7553** 5.0mm
- gS 82.7555** 5.5mm
- gS 82.7556** 6.0mm
- gS 82.7557** 6.35mm
- gS 82.7558** 6.55mm

**Rod Gripper**  
8 1/2"  
adjustable




# 4 - satisfaction guaranteed

Ø = diameter




for Ø rods  
**gS 82.7982** 5.5mm

**Rod Holder**  
 11"  
 straight narrow nose  
 leaf springs, ratchet




for Ø rods  
**gS 82.7995** 4.75mm

**Rod Holder**  
 11"  
 angled nose  
 leaf spring, ratchet



**gS 82.7985**



**gS 82.7987**


for Ø rods  
**gS 82.7985** 4.75mm  
**gS 82.7987** 6.35mm

**Rod Holder**  
 11"  
 straight nose  
 leaf spring, ratchet



# adaptability/flexibility - 5

Ø = diameter



gS 82.7991

gS 82.7992


gS 82.7993

for Ø rods

- gS 82.7991** 4.75mm
- gS 82.7992** 5.5mm
- gS 82.7993** 6.35mm

## Rod Holder

11"  
angled narrow nose  
ratchet



Tip detail not to scale.

for Ø rods

- gS 82.7970** 5.5mm

## Locking Rod Holder

10"

- for Ø rods
- gS 82.7710** 4.76mm right
- gS 82.7712** 4.76mm left
- gS 82.7720** 6.35mm right
- gS 82.7722** 6.35mm left


## In Situ Rod Bender

13"  
used in pairs



## 6 - verified quality

Ø = diameter




for Ø rods  
**gS 82.7630** 3mm and 4mm

### Rod Bender

7 1/2"

one-handed bender



- Bends rods up to 7mm [.276"] to three different angles.
- Separate reduction ring not required.
- Adjustable center cam is spring loaded.

for Ø rods  
**gS 82.7640** up to 7mm


### Universal Rod Bender

11"



## custom options available - 7

Ø = diameter




- Bends rods up to 6mm with three different cam settings.
- Separate reduction ring not required.
- Adjustable center cam is spring loaded.




for Ø rods  
up to 6mm

**gRod Bender, Universal**  
19", detachable handles



- Shears rods with ease and provides a clean cut without burrs or sharp edges.
- Biocompatible silicone handles help to prevent slippage and provide a secure and comfortable grip.



for Ø rods

**gS 83.7280** 4.5mm, 5.5mm, 6.35mm, non-detachable handles  
**gS 83.7290** 4.5mm, 5.5mm, 6.35mm, detachable handles

**gSilicone Rod Shears DA**  
22"  
black silicone handles



## gSource

gSource is committed to putting the finest instruments into the hands of surgeons and their teams.

Not all instruments are created equal. Adequate for the job is, in reality, inadequate. A better instrument reduces distractions and facilitates operations. A better instrument helps a surgeon perform at his/her best. A better instrument leads to better results. gSource provides better instruments.

### Orthopedic Focus

We are more than a source for quality instrumentation. gSource is an advocate for the orthopedic community. We can be relied upon to provide superior instrumentation for spinal and orthopedic procedures, and do so in a time critical fashion.

### gSource Instrument Attributes

Whether crafted from German surgical stainless steel, or machined from U.S. surgical stainless steel, our instruments are recognized by their finely finished surface. They are designed to perform with precise surgical function and are also conceived to be affordable. It is this combination that distinguishes the gSource brand.

### gSource Verified Quality

Every gSource instrument must pass detailed Quality Assurance tests before it can be sold. Instruments are tested for quality of material, workmanship, function, pattern consistency and critical dimensions.

### Instrument reSource

The gSource catalog contains 3,500 instruments primarily used in orthopedic and spinal procedures. To view our catalog or for a quick answer on availability of other patterns, refer to our website at [www.gSource.com](http://www.gSource.com). Please inquire about the availability of any instrument not shown in the catalog.

### Custom Instrumentation

We will create entirely new instruments in a timely and economical manner. For an accurate quotation and delivery schedule, send us a drawing, sketch or sample.



gSource, LLC  
19 Bland Street  
Emerson, NJ 07630  
USA

P (800) 978-1119  
(201) 599-2277  
F (201) 599-3306  
E [email@gSource.com](mailto:email@gSource.com)  
[www.gSource.com](http://www.gSource.com)

## Service First

Your inquiries will be answered quickly and accurately by knowledgeable professionals.

## Trusted Supplier to World Leaders

Many world leaders and innovators in orthopedics and spine have found in gSource a trusted and reliable partner. We provide superior instrumentation in a time-critical fashion and at realistic prices.

## Guarantee

All standard instruments are guaranteed for life against manufacturing defects of material and workmanship. Any instrument proving to be defective will be replaced or the purchase price refunded.

1. Tungsten carbide inserts are guaranteed for three years. Replaceable parts, other than springs, are guaranteed for one year. Replaceable springs are guaranteed for life against manufacturing defects of material and workmanship.
2. This guarantee is void if instruments are altered or not maintained or repaired properly or if they are not used for their intended surgical purpose.
3. Any unused instrument may be returned for full credit within 90 days of invoice date.

## gSource Advantages

- On-time delivery
- Realistic price
- Verified quality
- German craftsmanship
- Precise U.S. machining
- Orthopedic and spinal focus
- Product development support
- CAD support
- Custom labeling, packaging and marking
- Large selection and inventory
- Adaptability/flexibility
- Superior customer service
- Full satisfaction guarantee



ISO 13485: 2003 Certified  
FS 589741  
FDA Registered



gSource, LLC Founded 1999