rod management instruments




new patterns available!



2 - realistic price

 \emptyset = diameter



for Ø rods **gS 40.3555** 5.5mm

gDistractor MIS

10"




for Ø rods gS 40.3565 5.5mm

gCompressor MIS

11"





for Ø rods **gS 40.3655** 5.5mm

gDistractor Parallel

13"





gCompressor Parallel


13"





precisely engineered - 3

Ø = diameter



for Ø rods

gS 82.7740 4.0mm

gS 82.7745 4.76mm


gS 82.7750 5.5mm

gS 82.7760 6.35mm

Rod Holder

7 1/4" straight ratchet





for Ø rods

gS 82.7840 4.0mm **gS 82.7845** 4.5mm


gS 82.7850 5.0mm

gS 82.7855 5.5mm **gS 82.7860** 6.35mm

Rod Holder

8 1/2" curved ratchet






for \emptyset rods

gS 82.7950 5.5mm, prism **gS 82.7955** 5.5mm, round

gS 82.7960 6.35mm, round

Rod Holder

10" straight ratchet



for Ø rods

gS 82.7551 4.5mm

gS 82.7552 4.75mm gS 82.7553 5.0mm

gS 82.7555 5.5mm

g\$ 82.7556 6.0mm g\$ 82.7557 6.35mm

gS 82.7558 6.55mm

Rod Gripper

8 1/2"


adjustable





4 - satisfaction guaranteed

Ø = diameter




for Ø rods **gS 82.7982** 5.5mm

Rod Holder


11" straight narrow nose leaf springs, ratchet






leaf spring, ratchet





gS 82.7985




gS 82.7987



gS 82.7985 4.75mm **gS 82.7987** 6.35mm

Rod Holder

11" straight nose leaf spring, ratchet








adaptability/flexibility - 5

Ø = diameter






gS 82.7991 4.75mm **gS 82.7992** 5.5mm **gS 82.7993** 6.35mm

Rod Holder

angled narrow nose ratchet



for Ø rods **gS 82.7710** 4.76mm right **gS 82.7712** 4.76mm left **gS 82.7720** 6.35mm right gS 82.7722 6.35mm left

In Situ Rod Bender

13"


used in pairs





6 - verified quality

Ø = diameter







for Ø rods **gS 82.7630** 3mm and 4mmm

Rod Bender

7 1/2"

one-handed bender





- Separate reduction ring not required.
- Adjustable center cam is spring loaded.


 $\begin{tabular}{ll} & for \varnothing \ rods \\ \begin{tabular}{ll} gS 82.7640 & up to 7mm \\ \end{tabular}$

Universal Rod Bender 11"






custom options available - 7



gRod Bender, Universal

19", detachable handles



gS 83.7290 4.5mm, 5.5mm, 6.35mm, detachable handles

- Shears rods with ease and provides a clean cut without burrs or sharp edges.
- Biocompatible silicone handles help to prevent slippage and provide a secure and comfortable grip.



gSilicone Rod Shears DA

22"

black silicone handles



gSource

gSource is committed to putting the finest instruments into the hands of surgeons and their teams.

Not all instruments are created equal. Adequate for the job is, in reality, inadequate. A better instrument reduces distractions and facilitates operations. A better instrument helps a surgeon perform at his/her best. A better instrument leads to better results. gSource provides better instruments.

Orthopedic Focus

We are more than a source for quality instrumentation. gSource is an advocate for the orthopedic community. We can be relied upon to provide superior instrumentation for spinal and orthopedic procedures, and do so in a time critical fashion.

gSource Instrument Attributes

Whether crafted from German surgical stainless steel, or machined from U.S. surgical stainless steel, our instruments are recognized by their finely finished surface. They are designed to perform with precise surgical function and are also conceived to be affordable. It is this combination that distinguishes the gSource brand.

gSource Verified Quality

Every gSource instrument must pass detailed Quality Assurance tests before it can be sold. Instruments are tested for quality of material, workmanship, function, pattern consistency and critical dimensions.

Instrument reSource

The gSource catalog contains 3,500 instruments primarily used in orthopedic and spinal procedures. To view our catalog or for a quick answer on availability of other patterns, refer to our website at www.gSource.com. Please inquire about the availability of any instrument not shown in the catalog.

Custom Instrumentation

We will create entirely new instruments in a timely and economical manner. For an accurate quotation and delivery schedule, send us a drawing, sketch or sample.



gSource, LLC 19 Bland Street Emerson, NJ 07630 USA

P (800) 978-1119 (201) 599-2277 F (201) 599-3306

E email@gSource.com www.gSource.com

Service First

Your inquiries will be answered quickly and accurately by knowledgeable professionals.

Trusted Supplier to World Leaders

Many world leaders and innovators in orthopedics and spine have found in gSource a trusted and reliable partner. We provide superior instrumentation in a time-critical fashion and at realistic prices.

Guarantee

All standard instruments are guaranteed for life against manufacturing defects of material and workmanship. Any instrument proving to be defective will be replaced or the purchase price refunded.

- Tungsten carbide inserts are guaranteed for three years. Replaceable parts, other than springs, are guaranteed for one year. Replaceable springs are guaranteed for life against manufacturing defects of material and workmanship.
- This guarantee is void if instruments are altered or not maintained or repaired properly or if they are not used for their intended surgical purpose.
- Any unused instrument may be returned for full credit within 90 days of invoice date.

gSource Advantages

- On-time delivery
- Realistic price
- Verified quality
- · German craftsmanship
- · Precise U.S. machining
- · Orthopedic and spinal focus
- Product development support
- CAD support
- · Custom labeling, packaging and marking
- · Large selection and inventory
- Adaptability/flexibility
- Superior customer service
- Full satisfaction guarantee



ISO 13485: 2003 Certified FS 589741 FDA Registered



gSource, LLC Founded 1999